


## คาร์ไบด์ฟันเลื่อย (Carbide Saw Tip)




Hardness 91 HRA  
Density 14.85 g/cm<sup>3</sup>  
TRS 2300 N/m<sup>2</sup>

L=5.5-8.5




L=10.5



No.	L	W	T	Price
1	5.5	1.5	2.0	1.80
2	5.5	1.5	3.0	2.50
3	5.5	3.5	1.5	3.00
■ 4	6.5	2.6	2.0	3.50
5	6.5	2.8	2.0	3.50
6	8.5	3.0	2.5	6.00
7	8.5	3.3	2.5	7.00
8	8.5	3.5	2.5	7.50
9	8.5	3.6	2.5	7.50
10	8.5	3.8	2.5	8.00
11	8.5	4.0	2.5	8.00
12	8.5	4.5	2.5	9.50
13	8.5	4.6	2.5	9.50
14	8.5	5.5	2.5	11.50
15	10.5	3.0	2.5	7.50
16	10.5	3.2	2.5	8.00
17	10.5	3.3	2.5	8.50
18	10.5	3.5	2.5	9.00
19	10.5	3.6	2.5	9.00
20	10.5	3.7	2.5	9.50
21	10.5	3.8	2.5	9.50
22	10.5	4.0	2.5	10.00
23	10.5	4.3	2.5	10.50
24	10.5	4.5	2.5	13.50
25	10.5	4.5	3.0	13.50
26	10.5	4.7	3.0	10.00
27	10.5	5.0	2.5	14.00
28	10.5	5.0	3.0	15.00
29	10.5	5.5	3.0	16.50
30	10.5	6.0	3.0	18.00
31	10.5	6.5	3.0	19.50

■ = กำลังจะขาด


## คาร์ไบด์กลมแท่ง (Carbide Rod)



Common grade with ISO Standard

No.	L	D(R)	R	Packing/Box	Price
6	100	6	3	40	373.-
7	100	8	4	15	433.-
8	100	10	5	15	560.-

## คาร์ไบด์แบนแท่ง (Carbide Bar)



Common grade with ISO standard Hardness 90.5 HRA  
Density 14.8 g/cm<sup>3</sup> T.R.S. 2080 N/mm<sup>2</sup>

No.	L	W	T	Packing/Box	Price
1	165	6	1.5	10	171.-
2	165	6	2	8	188.-
3	165	8	2	8	216.-
4	165	8	3		313.-
5	165	10	2	8	280.-
6	165	10	3	5	600.-
7	165	12	2	6	326.-
8	165	12	3	5	449.-
9	165	14	2	5,6,7	364.-
10	165	14	3	4,5	513.-
11	165	16	2	5,6	396.-
12	165	16	3	4,5	572.-
13	165	19	2	4	529.-
14	165	20	3	4	722.-
15	310	8	2	9	620.-
16	310	8	3	8,9	641.-
17	310	10	2	6,8	587.-
18	310	10	3	8	775.-
19	310	12	2	6	950.-
20	310	12	3	6,7	941.-
21	310	14	2	5,7	714.-
22	310	14	3	6	1,079.-
23	310	16	2	4,5,6	850.-
24	310	16	3	6	1,165.-
25	310	18	3	5	1,355.-
26	310	20	3	5	1,501.-

คาร์ไบด์ฟันเลื่อย  
คาร์ไบด์แท่ง

คาร์ไบด์ฟันเลื่อย | คาร์ไบด์แท่ง



**คาร์ไบด์บร๊ายด์**

CARBIDE BRAZED TIPS



NO.500




NO.502




NO.504



NO.506




TYPE	DIMENSION							N/W (Kg)	PRICE			
	A	Bv	C	R	b	e	@		H10S	H20S	K05	FM10H
NO.500	5.0	10.5	2.4	1.2	0	0.5	0°					
NO.502	6.3	12.2	3.3	1.5	0	1	0°					
NO.504	6.6	13.6	4.0	1.5	1	1	35°					
NO.506	9.1	17.0	5.0	2.5	1	1	35°	0.0085	<b>26.-</b>	<b>50.-</b>	<b>60.-</b>	<b>95.-</b>




TYPE	DIMENSION				N/W (Kg)	PRICE	
	A	B	C	r		H <sub>10</sub> S	H <sub>20</sub> S
NO.10	11.2	8.4	2.4	1.5			
NO.12	12.7	10.5	3.2	2.5			
NO.14	11.2	8.4	4.3	1.5			
NO.16	15.9	13.4	4.0	3.0	0.0080	<b>32.-</b>	
NO.18	12.7	10.5	5.5	2.5	0.0067	<b>25.-</b>	<b>25.-</b>
NO.20	19.0	16.3	4.8	4.0	0.0142		
NO.22	15.9	13.4	6.5	3.0	0.0119	<b>46.-</b>	
NO.24	19.0	16.3	6.4	4.0	0.0188	<b>65.-</b>	
NO.26	22	20	6	6.0		<b>110.-</b>	
NO.28	19	16	8	4.0			
NO.30	22	20	7	6.0			
NO.32	23	20	10	5.0			
NO.34	30	22	8	5.0			
NO.36	32	27	10	5.0			




NO.C303





NO.C304




NO.C305




NO.C306




NO.C308



NO.C310



NO.C312




NO.C316


TYPE	DIMENSION				PRICE	
	L	t	s	r	M10S	M20S
NO.C303	3.5	12	3		<b>22.-</b>	
NO.C304	4.5	14	4		<b>28.-</b>	
NO.C305	5.5	17	5		<b>43.-</b>	
NO.C306	6.5	17	6			
NO.C308	8.5	20	7			
NO.C310	10.5	22	8			
NO.C312	12.5	22	10			
NO.C316	16.5	25	11			



NO.E5




NO.E6




NO.E8





NO.E10




NO.E12




NO.E16




NO.E20



NO.E25



NO.E32



TYPE	DIMENSION				PRICE			
	L	t	s	r	H10S	H20S	M10S	M20S
NO.E5	5	12	3					
NO.E6	6	14	3.5					
NO.E8	8	16	4		<b>42.-</b>			<b>42.-</b>
NO.E10	10	18	5		<b>60.-</b>			<b>60.-</b>
NO.E12	12	20	6		<b>90.-</b>			<b>90.-</b>
NO.E16	16	22	7		<b>140.-</b>			<b>140.-</b>
NO.E20	20	25	8					<b>200.-</b>
NO.E25	25	28	9			<b>310.-</b>		<b>310.-</b>
NO.E32	32	32	10					



NO.G8




NO.G10




NO.G12




NO.G16




NO.G20




NO.G25




NO.G30




NO.G40



NO.G50



TYPE	DIMENSION				PRICE			
	L	t	s	r	H10S	H20S	M10S	M20S
NO.G8	8	12	4	1.0				
NO.G10	10	14	4	1.5				
NO.G12	12	17	5	2.5	<b>50.-</b>			
NO.G16	16	20	6	3.5	<b>60.-</b>			
NO.G20	20	24	6	4.5				<b>98.-</b>
NO.G25	25	28	8	6				<b>150.-</b>
NO.G30	30	34	10	8				<b>250.-</b>
NO.G40	40	44	12	11				
NO.G50	50	54	12	14				




TYPE	DIMENSION				PRICE	
	A	B	C	r	H10S	H20S
NO.520	9.5	1.9	0.9	6.5		
NO.521	12.7	2.7	1.4	6.5		
NO.522	17.2	3.4	2	7		
NO.523	18.9	4.4	2.5	7.5		
NO.524	19	4.8	2.8	8		
NO.525	22.2	6.4	3.2	9.5	<b>40.-</b>	
NO.526	26.1	8.3	4.6	12.5	<b>52.-</b>	



**คาร์ไบด์บราซิล**

CARBIDE BRAZED TIPS



TYPE	DIMENSION				PRICE	
	L	t	s	r	H10S	H20S
NO.D3	3.5	8	3		<b>14.-</b>	
NO.D4	4.5	10	4			<b>22.-</b>
NO.D5	5.5	12	5			
NO.D6	6.5	14	6			
NO.D8	8.5	16	8			
NO.D10	10.5	18	10			
NO.D12	12.5	20	12			